

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Di-Bak H

Herbicide

ACTIVE CONSTITUENT: 750 g/kg HEXAZINONE
(Each capsule contains 265 mg Hexazinone and 100 mg of inert filler)

GROUP C HERBICIDE

For the control of tree weeds and unwanted tree plants in forestry, pasture, commercial, industrial and public service areas as per the Directions For Use table.

IMPORTANT: READ THE ATTACHED LEAFLET THOROUGHLY BEFORE USING THIS PRODUCT.

Contents : 200 capsules



Bioherbicides Pty Ltd
ACN 147 854 582
Level 7, General Purpose South
Staff House Road, The University of Queensland, Brisbane QLD 4072 Australia
Ph: (61-7) 3365 4037
M: 0402437670

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Do not contaminate seed, feed or foodstuff.

Do not dispose of capsules on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to

an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

SAFETY DIRECTIONS

Harmful if swallowed. Will damage eyes and will irritate the skin. Avoid contact with eyes and skin. When opening the container and loading the applicator with the capsules wear thin latex gloves and goggles. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use wash gloves, goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet (SDS) which can be obtained from the supplier.

NOTICE TO BUYER

To the extent permitted by law, all conditions and warranties and statutory or other rights or action which buyer or any other user may have against Bioherbicides or Seller are hereby excluded. Bioherbicides hereby gives Notice to Buyer and other users that it will not accept responsibility for any indirect or consequential loss arising from reliance on product information or advice provided by Bioherbicides or on its behalf unless it is established that such information or advice was provided negligently and that the product has been used strictly as directed.

Bioherbicides Australia Pty Ltd liability shall, in all circumstances, be limited to replacement of the product or a refund of the purchase price paid therefor.

APVMA permit number: PER87339

Batch No:

Date Of Manufacture:

DIRECTIONS FOR USE

SITUATION	UNWANTED TREES	RATE	CRITICAL COMMENTS	
Stem Injection Forestry, pasture, Commercial & Industrial areas, Rights of Way, around Agricultural Buildings & Public Service areas.	Dunn's white gum (<i>Eucalyptus dunnii</i>) Flooded gum (<i>E. grandis</i>), Ghost gum (<i>E. papuana</i>), Gum topped bloodwood (<i>E. dichromophloia</i>), Messmate stringybark (<i>E. obliqua</i>), Narrowleaf ironbark (<i>E. creba</i>), Pink bloodwood (<i>E. intermedia</i>), Poplar box (<i>E. populnea</i>), Silverleaf ironbark (<i>E. melanophloia</i>), Silvertop ash (Ironbark) (<i>E. sieberi</i>), Spotted gum (<i>E. maculata</i>), Sydney blue gum (<i>E. saligna</i>), Swamp mahogany (<i>Tristania suaveolens</i>), Western white gum (<i>E. argophloia</i>) White mahogany (<i>E. acmenoides</i>), Willows (<i>Salix babylonica</i>), Prickly acacia (<i>Vachellia nilotica</i>), Privet (<i>Ligustrum</i> spp.), Rhus (<i>Toxicodendron succedaneum</i>), Camphor laurel (<i>Cinnamomum camphora</i>),	1 capsule every 10 cm of circumference	Use the Injecta applicator to drill a hole and deliver Di-Bak H capsule in the sapwood layer beneath the bark. Space capsule insertions at 10cm, centres around tree circumference below any branching, otherwise remove or treat all branches below the capsule insertion. On multiple trunk trees ensure each trunk is treated.	ALL TREES -Apply a minimum of two capsules to each tree -Apply at waist height

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS

This product is an encapsulated non-volatile, water soluble granule with non-selective herbicidal activity against many weed plants. Product is injected directly to the stem's sapwood ie stem injection into the vascular system. This product moves throughout the plant from the point of injection.

The most effective time to apply herbicides to woody plants is during growth periods when herbicidal materials will be translocated to growth points throughout the plant.

Ensure that the plug to the hole is well secured. The plug is vitally important to create a humid atmosphere within the tree for the capsule to disintegrate and the granules to dissolve so the hexazinone is translocated within the tree.

Visible effects on an adult tree can be seen in 3-5 weeks. Visible effects are a gradual yellowing and wilting of the leaves which advances to complete browning of above ground growth and deterioration of underground plant parts.